

.....

LED-HAYAT

.....

Recessed/Surface-mounted
or Pendant Luminaire

ADO ®
by TTC Timmler Technology

LED-HAYAT

Recessed/Surface-mounted
or Pendant Luminaire


ADO 

PICTURES



LED-HAYAT

Recessed/Surface-mounted or Pendant Luminaire



BASE INFORMATION AND GENERAL TECHNICAL SPECIFICATIONS




LED-Hayat | Minimalism with brilliant effect

Extra atmosphere for interior or exterior use. LED Hayat allows a wide range of applications: It can be used for indirect lighting and it can be recessed or surface-mounted as a continuous strip. A minimalist model that is even suitable as a pendant luminaire. LED Hayat – the optimum choice to illuminate (even large) spaces or building fronts.

Features


- For private residences, hotels, offices, showrooms
- Versatile interior and exterior use
- No UV components
- Low heat/thermal load, hence only very little air-conditioning
- Excellent colour rendering index [CRI > 90]

DIMENSIONS [L X B X H]	1,400/2,800 x 50 x 50 mm Other sizes upon request
POWER CONSUMPTION	1–3W per LED
LUMINOUS FLUX	88 lm/W at 350 mA
OPERATING VOLTAGE	Low voltage to 48V DC 350–700 mA CC
LIGHT BEAM ANGLE	10°/25°/50° [o] 25°/50° [e]
SERVICE LIFE	LED 50,000 hours at 70% of mean luminous flux
COLOUR TEMPERATURE	White 2,600/3,000/3,500/4,000 Kelvin
CRI	CRI > 90
NO. OF LEDS	6/12 units [1,400/2,800 mm]
LIGHT SPOT SPACING	250 mm
IP RATING	IP54 optional IP65
CERTIFICATES	CE, RoHs
LUMINAIRE HOUSING	Aluminium anodised, black anodised, other colours upon request
MOUNTING	Pendant: Stainless steel cable Supply line black or transparent
DEVICE	Static or digital dimmable converter (DALI)
WEIGHT	1.2 kg




ILLUMINANCE LEVEL MEASUREMENTS | COLOUR TEMPERATURE 4,000 K | POWER CONSUMPTION 3 W


Centrally aligned lens 10°




Centrally aligned lens 25°



Centrally aligned lens 50°



TTC Timmler Technology GmbH
Christian-Schäfer-Straße 8
D-53881 Flammersheim [Cologne/Bonn]
T +49 2255 9212-00
F +49 2255 9212-99
E info@ado-lights.com
I www.ado-lights.com
www.led-luc.com

ADO  [®]
by TTC Timmler Technology

